BYINTEK		
Product Name	**BOOK 1**	**BOOK 4**
Photo		
Display Technology	USA TI DLP	USA TI DLP
Resolution	960*540	1920*1080
Brightness	130ANSI LUMENS	850ANSI LUMENS
Contrast Ratio	5,000:1	10,000:1
Light Source	OSRAM RGB 3LED	Triple Laser
LED Lifetime	50,000 Hours, Up to 4,000Days If use 12Hours per day	50,000 Hours, Up to 4,000Days If use 12Hours per day
Focus Mode	Faster Auto Focus by TOF Laser Tech	Faster Focus by TOF Laser Tech
Built-in Battery	10000mAh Lithium Battery	Built-in 20800mAh lithium battery 75.92Wh
Battery Life	3.5Hours (Saving);3Hours minutes (Standard);2.5Hours(Bright)	3.3Hours (Saving);2Hours minutes (Standard);1.75Hours(Bright)
Input Interface	USB 2.0 *1 ; HD 2.0 *1 ; Type-C *1（DC12V 2A）	USB 2.0 *2 ; HD 2.0 *1 ； DC-in（DC19V 3.42A）;Type-c（20V3.25A）
Touch-Key Design	Yes	Pitch 100°
Other functions	NA	Supports interactive features
Motion Compensation	NA	Support MEMC 1080P 60hz，Supports HDR10, HDR10+
System Parameters	**System Parameters**	**System Parameters**
System	Android OS 9.0	Android OS 11.0
RAM + ROM	2G + 32GB	2G + 32GB
APP Download	NA	NA
Bluetooth	5.0	5.0
WiFi	2.4G / 5.0G Dual-band WiFi	2.4G / 5.0G Dual-band WiFi
WiFi Display	Airplay for IOS Devices,Miracast for Android Devices ;tranScreen for Windows Devices	Airplay for IOS Devices,Miracast for Android Devices ; tranScreen for Windows Devices
Wired Synchronous Display	by USB Data Cable	by USB Data Cable
Projection Parameters	**Projection Parameters**	**Projection Parameters**
Projection Method	Front/Rear/Front Ceiling/Rear Ceiling	Front/Rear/Front Ceiling/Rear Ceiling
Projection Distance	0.23m-4.75m/0.75ft-15.58ft	0.3m-8m/0.98ft-26.24ft
Projection Size	10inch-200 inch	11inch-300 inch
Throw Ratio	1.07: 1	1.2: 1
Aspect Ratio	16:9/4:3	16:9/4:3
Keystone Correction	Vertical Keystone ±45° by Auto/Manual Correction	Vertical and Horizontal Keystone Correction ±40° by Auto/Manual Correction
	Corner Keystone ±45° by Manual Correction	Corner Keystone ±40° by Auto/Manual Correction
Built-in Speaker	5W*2	10W*2
DLP-Link 3D	Active Shutter 3D	NA
Power Consumption	25W	55W
Projector Voltage	DC12V/2A	DC19V 3.42A，Type-c（20V5A）
Adapter Voltage	AC100-240V, 50/60Hz	AC100-240V, 50/60Hz
Audio-Out	NA	3.5mm Headphone Output
Language	(33 Types Total): Catala, Czech, Danish, German, English, Spanish, French, Croatian, Indonesia, IsiZulu, Italiano, Hungarian, Dutch, Norwegian, Polski, portuguese, Romania, Rumantsch, Slovenian, Slovak, Finland, Swedish, Turkish, Russian, Serbian, Ukrainian, Thai, Korean, Chinese, traditional Chinese, Japanese, Arabic, Hebrew	(33 Types Total): Catala, Czech, Danish, German, English, Spanish, French, Croatian, Indonesia, IsiZulu, Italiano, Hungarian, Dutch, Norwegian, Polski, portuguese, Romania, Rumantsch, Slovenian, Slovak, Finland, Swedish, Turkish, Russian, Serbian, Ukrainian, Thai, Korean, Chinese, traditional Chinese, Japanese, Arabic, Hebrew
Package Details	**Package Details**	**Package Details**
Projector Size	8.2*8.2*14.2cm /3.23*3.23*5.6in	18*15*19cm/7.08*5.90*7.48in
Projector Weight	0.62kg/1.37lb	1.9KG/4.16lb
Package Size	26.5*22*13.5cm /10.44*8.67*5.32in	30*27.5*20cm /11.81*10.826*7.87in
Package Weight	1.64kg/3.62lb	3.028kg/6.67lb
Accessories	Storage Bag,Remote Control ;Power Adapter ;Tripod;User Manual	Remote control, power adapter, user manual, interactive pen

Product Name	Magic 1	Magic 2 Max
Photo		
Display Technology	USA TI DLP	USA TI DLP
Resolution	1920*1080	1920*1080
Brightness	200ANSI LUMENS	350ANSI LUMENS
Contrast Ratio	10,000:1	10,000:1
Light Source	OSRAM RGB 3LED	OSRAM RGB+PB 4LED
LED Lifetime	50,000 Hours,Up to 4,000Days If use 12Hours per day	50,000 Hours, Up to 4,000Days If use 12Hours per day
Focus Mode	Faster Focus by TOF Laser Tech	Faster Focus by TOF Laser Tech
Built-in Battery	15000mAh Lithium Battery	Built-in 20800mAh lithium battery 76.8Wh
Battery Life	3Hours (Saving);2.5Hours minutes (Standard);2Hours(Bright)	3.3Hours (Saving);2Hours minutes (Standard);1.75Hours(Bright)
Input Interface	USB 2.0 *1 ; HD 2.0 *1 ; Type-C *1（DC12V 3A）	USB 2.0 *2 ; HD 2.0 *1 ; DC-in（DC19V 3.42A）;Type-c（20V5A）
PTZ rotation angle	NA	Pitch 100°
Motion Compensation	NA	Support MEMC
System Parameters	**System Parameters**	**System Parameters**
System	Android OS 9.0	Licensed 4K Google TV 11.0 OS
RAM + ROM	2G + 32GB	2G + 8GB
Bluetooth	5.0	5.0
Speaker Mode	NA	Thousands of Certified APP
WiFi	2.4G / 5.0G Dual-band WiFi	2.4G / 5.0G Dual-band WiFi
WiFi Display	Airplay for IOS Devices,Miracast for Android Devices ; tranScreen for Windows Devices	Chromecast for Android and Windows Devices/Airscreen for IOS Devices;
Wired Synchronous Display	by USB Data Cable	by USB Data Cable
Projection Parameters	**Projection Parameters**	**Projection Parameters**
Projection Method	Front/Rear/Front Ceiling/Rear Ceiling	Front/Rear/Front Ceiling/Rear Ceiling
Projection Distance	0.3m-8m/0.98ft-26.24ft	0.3m-8m/0.98ft-26.24ft
Projection Size	11inch-300 inch	11inch-300 inch
Throw Ratio	1.2: 1	1.2: 1
Aspect Ratio	16:9	16:9/4:3
Keystone Correction	Vertical Keystone ±35° by Auto/Manual Correction	Vertical Keystone ±40° by Auto/Manual Correction
	Corner Keystone ±35° by Manual Correction	Corner Keystone ±40° by Manual Correction
Built-in Speaker	10W*2	10W*2
Audio-Out	NA	3.5mm Headphone Output
DLP-Link 3D	Active Shutter 3D	NA
Language	(Total 33 Types): Catala, Czech, Danish, German, English, Spanish, French, Croatian, Indonesia, IsiZulu, Italiano, Hungarian, Dutch, Norwegian, Polski, portuguese, Romania, Rumantsch, Slovenian, Slovak, Finland, Swedish, Turkish, Russian, Serbian, Ukrainian, Thai, Korean, Chinese, traditional Chinese, Japanese, Arabic, Hebrew,etc	(Total 33 Types): Catala, Czech, Danish, German, English, Spanish, French, Croatian, Indonesia, IsiZulu, Italiano, Hungarian, Dutch, Norwegian, Polski, portuguese, Romania, Rumantsch, Slovenian, Slovak, Finland, Swedish, Turkish, Russian, Serbian, Ukrainian, Thai, Korean, Chinese, traditional Chinese, Japanese, Arabic, Hebrew,etc
Power Consumption	28W	60W
Projector Voltage	DC12V/3A	DC19V 3.42A，Type-c（20V5A）
Adapter Voltage	AC100-240V,50/60Hz	AC100-240V, 50/60Hz
Package Details	**Package Details**	**Package Details**
Projector Size	9.7*9.7*16cm/3.81*3.81*6.3in	18*15*19cm/7.08*5.90*7.48in
Projector Weight	866g/1.9ib	1.93KG/4.25lb
Package Size	22*23*17cm/8.66*9.05*6.7in	30*27.5*20cm /11.81*10.826*7.87in
Package Weight	1541g/3.4ib	3.028kg/6.67lb
Accessories	Remote Control ;Power Adapter ;User Manual	Remote Control ;Power Adapter ;User Manual

Product Name	Coco 1	Coco 1 Max
Photo		
Display Technology	USA TI DLP	USA TI DLP
Resolution	1920*1080	1920*1080
Brightness	600ANSI LUMENS	600ANSI LUMENS
Contrast Ratio	10,000:1	10,000:1
Light Source	Triple Laser	Triple Laser
LED Lifetime	50,000 Hours,Up to 4,000Days If use 12Hours per day	50,000 Hours,Up to 4,000Days If use 12Hours per day
Focus Mode	Faster Focus by TOF Laser Tech	Faster Focus by TOF Laser Tech
Built-in Battery	NA	NA
Battery Life	NA	NA
Input Interface	USB 2.0 *2 ; HD 2.0 *1 ; DC-in（DC19V 3.42A）;Type-c（20V3.25A）	USB 2.0 *2 ; HD 2.0 *1 ; DC-in（DC19V 3.42A）;Type-c（20V3.25A）
PTZ rotation angle	NA	NA
Motion Compensation	Support MEMC1080P 60HZ	Support MEMC1080P 60HZ
System Parameters	**System Parameters**	**System Parameters**
System	Android OS 11.0	Licensed 4K Google TV 11.0 OS
RAM + ROM	2G + 32GB	2G + 8GB
Bluetooth	5.1	5.1
WiFi	2.4G / 5.0G Dual-band WiFi	2.4G / 5.0G Dual-band WiFi
WiFi Display	Airplay for IOS Devices,Miracast for Android Devices ; tranScreen for Windows Devices	Chromecast for Android and Windows Devices/Airscreen for IOS Devices;
Wired Synchronous Display	by USB Data Cable	by USB Data Cable
Projection Parameters	**Projection Parameters**	**Projection Parameters**
Projection Method	Front/Rear/Front Ceiling/Rear Ceiling	Front/Rear/Front Ceiling/Rear Ceiling
Projection Distance	0.24-0.6m/0.78-1.96ft	0.24-0.6m/0.78-1.96ft
Projection Size	60”~150”	60”~150”
Throw Ratio	0.18:1	0.18:1
Aspect Ratio	16:9/4:3	16:9/4:3
Keystone Correction	Vertical Keystone ±10° by Auto/Manual Correction	Vertical Keystone ±10° by Auto/Manual Correction
	Corner Keystone ±10° by Manual Correction	Corner Keystone ±10° by Manual Correction
Built-in Speaker	20W*2	20W*2
DLP-Link 3D	Active Shutter 3D	Active Shutter 3D
Power Consumption	55W	55W
Projector Voltage	DC19V/3.42A	DC19V/3.42A
Adapter Voltage	AC100-240V, 50/60Hz	AC100-240V, 50/60Hz
Language	(Total 33 Types): Catala, Czech, Danish, German, English, Spanish, French, Croatian, Indonesia, IsiZulu, Italiano, Hungarian, Dutch, Norwegian, Polski, portuguese, Romania, Rumantsch, Slovenian, Slovak, Finland, Swedish, Turkish, Russian, Serbian, Ukrainian, Thai, Korean, Chinese, traditional Chinese,	(Total 33 Types): Catala, Czech, Danish, German, English, Spanish, French, Croatian, Indonesia, IsiZulu, Italiano, Hungarian, Dutch, Norwegian, Polski, portuguese, Romania, Rumantsch, Slovenian, Slovak, Finland, Swedish, Turkish, Russian, Serbian, Ukrainian, Thai, Korean, Chinese, traditional Chinese,
Package Details	**Package Details**	**Package Details**
Projector Size	30*22*10.5cm	30*22*10.5cm
Projector Weight	1.95KG	1.95KG
Package Size	42.4*15.1*27.6cm	42.4*15.1*27.6cm
Package Weight	2.76KG	2.76KG
Accessories	Remote Control ;Power Adapter ;User Manual	Remote Control ;Power Adapter ;User Manual